

45-1163 through 45-1165

MATERIAL SAFETY DATA SHEET

MYERS TIRE SUPPLY FILM BREAKER TOUCHLESS PRESOAK

IMPORTANT: Read this MSDS before handling and disposing of this product and pass this information on to employees, customers, and users of this product.



CAPITAL
CHEMICAL CO.

5340 Mayfair Road
North Canton, OH 4470

I. GENERAL INFORMATION

PRODUCT NAME:	MYERS TIRE SUPPLY FILM BREAKER TOUCHLESS PRESOAK	DATE PREPARED:	JULY 2010
TELEPHONE NUMBERS:	1-800-424-9300 CHEMTREC 1-330-494-9542 CAPITAL CHEMICAL	SIGNATURE OF PREPARER:	Lon Swinehart

II. SUMMARY OF HAZARDS

COMPONENTS	OSHA PEL	ACGIH TLV	OTHER LIMITS RECOMMENDED
None of the other ingredients are classified hazardous according to the criteria of OSHA's 29 CFR 1910.1200. The precise composition of this mixture is considered proprietary information. A more complete disclosure will be provided to a physician or nurse in the event of a medical emergency.			

III. PHYSICAL/CHEMICAL PROPERTIES

BOILING POINT:	OVER 100°C	SPECIFIC GRAVITY:	1.03
SOLUBILITY IN WATER:	COMPLETE	APPEARANCE AND ODOR:	CLEAR AMBER LIQUID WITH CHARACTERISTIC ODOR

IV. FIRE & EXPLOSION DATA

EXTINGUISHING MEDIA:	WATERFOG, DRY CHEMICAL OR ALCOHOL FOAM FOR LARGE FIRES. CO ₂ FOR SMALL FIRES		
SPECIAL FIRE FIGHTING PROCEDURES:	DO NOT ENTER ANY ENCLOSED OR CONFINED FIRE SPACE WITHOUT PROPER BREATHING PROTECTION, SUCH AS A SELF CONTAINED BREATHING APPARATUS		
UNUSUAL FIRE AND EXPLOSION HAZARDS:	NOT DETERMINED		

V. REACTIVITY DATA

INCOMPATIBILITY (MATERIALS TO AVOID):	STRONG ACIDS	STABILITY: MATERIAL IS STABLE	
HAZARDOUS DECOMPOSITION:	INCOMPLETE COMBUSTION MAY GENERATE CARBON MONOXIDE AND POTASSIUM HYDROXIDE	HAZARDOUS POLYMERIZATION:	WILL NOT OCCUR CONDITIONS TO AVOID HIGH TEMP. SEVERE OXIDIZING CONDITIONS

MYERS TIRE SUPPLY FILM BREAKER TOUCHLESS PRESOAK

VI. HEALTH HAZARDS

ROUTE OF EXPOSURE	SIGNS & SYMPTOMS	PRIMARY ROUTES
INHALATION	REMOVE FROM CONTAMINATED AREA TO FRESH AIR IF IRRITATION PERSISTS GET MEDICAL ATTENTION	✓
EYE CONTACT	IMMEDIATELY FLUSH EYES WITH WATER OR STERILE EYE WASH FOR 15 MINUTES. SEEK IMMEDIATE MEDICAL ATTENTION.	✓
SKIN ABSORPTION & IRRITATION	REMOVE CONTAMINATED CLOTHING , FLUSH AFFECTED AREAS WITH LARGE AMOUNTS OF WATER , WASH SKIN WITH SOAP AND WATER	✓
INGESTION	IF SWALLOWED, GIVE LARGE AMOUNTS OF WATER OR CITRUS JUICE. CALL PHYSICIAN IMMEDIATELY. DO NOT INDUCE VOMITING.	✓
CARCINOGENICITY	NOT CONSIDERED CARCINOGENIC	
OSHA REGULATED	SEE SECTION II	

VII. HANDLING OF SPILLS & LEAKS

PROCEDURES FOR CLEAN-UP	STOP RELEASE IF FEASIBLE WITHOUT RISK. ISOLATE LARGE SPILLS, PACKAGE WASTE IN SUITABLE CONTAINERS FOR DISPOSAL
WASTE DISPOSAL METHOD	INCINERATE OR LANDFILL WHERE PERMITTED UNDER APPROPRIATE FEDERAL , STATE AND LOCAL REGULATIONS
HANDLING PROCEDURES	STORE IN CLOSED PLASTIC OR EPOXY LINED CARBON STEEL CONTAINERS. AVOID DIRECT CONTACT WITH COPPER, ALUMINUM OR ZINC.

VIII. SAFETY & CONTROL MEASURES

RESPIRATORY PROTECTION	WHERE EXCESSIVE VAPOR OR MIST RESULTS FROM USAGE AN APPROPRIATE NIOSH/MSHA APPROVED RESPIRATOR SHOULD BE USED. VENTILATION MAY BE REQUIRED FOR HANDLING AT ELEVATED TEMPERATURE.
EYE PROTECTION	CHEMICAL- TYPE GOGGLES ARE RECOMMENDED
SKIN PROTECTION	PROTECTIVE CHEMICAL RESISTANT GLOVES ARE RECOMMENDED
ENGINEERING CONTROLS	NA
OTHER HYGIENIC AND WORK PRACTICES	AVOID PROLONGED OR EXTENSIVE CONTACT , WEAR IMPERVIOUS CLOTHING AND PRACTICE GOOD PERSONAL HYGIENE.

DISCLAIMER OF LIABILITY

The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, expressed or implied, regarding its correctness.